


# NR | FOR RENTAL APPLICATION WITH QUICK SET-UP


## ● Advantage

NR series featured in easy and quick set-up and dismantle, which is the best choice of entertainment and events.

Front



Back



## ● Application



Shopping mall



Rental




Entertainment



Exhibition

## ● Quick and Easy Installation Design



1

Fast lock

Unique design, simple and reliable.

2 | Die-casting aluminum

Big die-casting aluminum design ensures precise module dimension.



3 | Easy installation

One-plug design for power & signal cables.




4 | Plug-and-play

Easy disassembly for maintenance.



## Sizes



NR3/NR8/NR10

## Specifications

| Type                            | NR3       | NR8       | NR10      |
|---------------------------------|-----------|-----------|-----------|
| Pixel Pitch(mm)                 | 3.9×7.8   | 7.8×7.8   | 10.4×10.4 |
| LED Model                       | SMD 1921  | SMD 1921  | SMD 1921  |
| Brightness(cd/m <sup>2</sup> )  | 6000      | 6000      | 6000      |
| Transparency                    | >75%      | >80%      | >85%      |
| Display Size(mm)                | 1000×500  | 1000×500  | 1000×500  |
| Display Resolution              | 256×64    | 128×64    | 96×48     |
| Resolution(dot/m <sup>2</sup> ) | 32768     | 16384     | 9216      |
| Max.Power(w/m <sup>2</sup> )    | 820       | 880       | 830       |
| Avg.Power(w/m <sup>2</sup> )    | 246       | 264       | 290       |
| Ingress Protection              | IP20      | IP20      | IP20      |
| Refresh Rate(HZ)                | 1000~1500 | 1000~1500 | 1000~1500 |
| Weight(kg/m <sup>2</sup> )      | 12        | 12        | 12        |
| Working Temp(°C)                | -10~40    | -10~40    | -10~40    |



## ● Project Reference







SCREEN LINE S.r.l.

38060 Besenello (TN) Via Nazionale, 1/n - 1/u | T.+39 0464 830003 | F. +39 0464 830500

[info@screenline.it](mailto:info@screenline.it) | [screenline.it](http://screenline.it)